Archives of Dermatological Research

Founded in 1869 as
Archiv für Dermatologie und Syphilis

Volume 288 1996

Editor-in-Chief

E. Christophers, Kiel

Managing Editors

P. Fritsch, Innsbruck
S. I. Katz, Bethesda
W. Sterry, Berlin
H. Tagami, Sendai
K. Thestrup-Pedersen, Aarhus
J. J. Voorhees, Ann Arbor

Editorial Board

J. D. Bos, Amsterdam
L. R. Braathen, Berne
O. Braun-Falco, Munich
G. Burg, Zurich
A. Gianetti, Modena
M. W. Greaves, London
B. Henz, Berlin
V. K. Hopsu-Havu, Turku
S. Imamura, Kyoto
L. Juhlin, Uppsala
T. Krieg, Cologne
T. Luger, Münster
R. M. Mackie, Glasgow
H. Maibach, San Francisco
G. Plewig, Munich
J. Ring, Munich
G. Stingl, Vienna
H. H. Wolff, Lübeck
K. Wolff, Vienna

Associate Editors

T. Henseler, Kiel
U. Mrowietz, Kiel
J. M. Schröder, Kiel
M. Sticherling, Kiel
O. Wiedow, Kiel

Springer

In 1989 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1–127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung/Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research/Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA:

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, Canada Institute for Scientific and Technical Information, Ottawa K1A 0S2, Canada (Tel. 613-993-9251; Fax 613-952-8243; e-mail: cisti.docdel@nrc.ca).

Printers: Schneider Druck GmbH, D-91541 Rothenburg ob der Tauber, Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1996 · Printed in Germany

Contents of Volume 288

Abeck D → Brockow K
Abeck D → Neuber K
Affolter VK → Olivry T
Ahmed AA → Nordlind K
Ahsan K → Kato S
Aiba S → Tanaka M
Aisu K → Seguchi T
Akiyama H, Toi Y, Kanzaki H, Tada J, Arata J: Prevalence of producers of enterotoxins and toxic shock syndrome toxin-1 among *Staphylococcus aureus* strains isolated from atopic dermatitis lesions 418
Ale SI, Laugier J-PK, Maibach HI: Spacial variability of basal skin chromametry on the ventral forearm of healthy volunteers 774
Algermissen B, Sitzmann J, LeMotte P, Czarnetzki B: Differential expression of CRABP II, psoriasin and cytokeratin 1 mRNA in human skin diseases 426
Alkemade HAC → Kuijpers ALA
Alpsten M → Wennberg A-M
Amagai M → Matsumura K
Amon U → Nitschke M
Andre J → Noel J-C
Andriessen MPM → Bergen BH van
Arase S → Fujie T
Arase S → Kato S
Arata J → Akiyama H
Aroni K, Kontochristopoulos G, Liossi A, Panteleos D, Davaris P: Immunohistochemical study of HSP-70 in two basic leprosy groups 252
Asagami C → Hamamoto Y
Asai J → Kawaguchi Y
Asghar SS → Puri N
Azuma Y → Ohta T

Baadsgaard O → Skov L
Baba Y → Honda Y
Babina M → Weber S
Backendorf C → Gibbs S
Baker BS → Olaniran AK
Bang D → Lee S
Bangha E, Elsner P, Kistler GS: Suppression of UV-induced erythema by topical treatment with melatonin (N-acetyl-5-methoxytryptamine). A dose response study 522
Banks J → Rogers J
Barnes PJ → Steinkraus V
Bastian BC, Schacht RJ, Kämpgen E, Bröcker E-B: Phospholipase A_2 is secreted by murine keratinocytes after stimulation with IL-1α and TNF-α 147
Bastian B → Schmidt E
Baumgartner R → Limat A
Bechtel M → Schaefer BM
Bechtel MJ → Inndorf S
Bédane C, Prost C, Thomine E, Intrator L, Joly P, Caux F, Blecker M, Bernard P, Leboutet MJ, Tron F, Lauret P, Bonnetblanc JM, Dubertret L: Binding of autoantibodies is not restricted to desmosomes in pemphigus vulgaris: Comparison of 14 cases of pemphigus vulgaris and 10 cases of pemphigus foliaceus studied by Western immunoblot and immunoelectron microscopy 343
Benathan M, Labidi F: Cysteine-dependent 5-*S*-cysteinyldopa formation and its regulation by glutathione in normal epidermal melanocytes 697
Benner R → Prens E
Bergen BH van, Andriessen MPM, Spruijt KIJ, Kerkhof PCM van de, Schalkwijk J: Expression of SKALP/elafin during wound healing in human skin 458
Bernard P → Bédane C
Berne B → Sjölin-Forsberg G
Bernerd F, Schweizer J, Demarchez M: Dermal cysts of the rhino mouse develop into unopened sebaceous glands 586
Biddle D, Spandau DF: Expression of vimentin in cultured human keratinocytes is associated with cell – extracellular matrix junctions 621
Birkenmeier G, Frank R: Plasma concentration of total and transformed α2-macroglobulin in systemic sclerosis 405
Blecker M → Bédane C
Boerman OC → Boxman ILA
Böttge J-A → Paus R
Boisseau-Garsaud A-M, Donatien P, Margerin C, Taïeb A: EGF Receptor expression and growth of psoriatic and normal human keratinocytes are modulated by 1.25 $(OH)_2$-vitamin D_3 ex vivo 453
Bolsen K → Fritsch C
Bonafé JL → Lachgar S
Bond JJ, Wynn PC, Moore GPM: Effects of epidermal growth factor and transforming growth factor alpha on the function of wool follicles in culture 373
Bondesson L → Liu PY
Bonnetblanc JM → Bédane C
Bos JD → Kammeyer A
Bossi G → Simonetti O
Bouhaddioui N → Lachgar S
Boxman ILA, Ruwhof C, Boerman OC, Löwik CWGM, Ponec M: Role of fibroblasts in the regulation of pro-inflammatory interleukin IL-1, IL-6 and IL-8 levels induced by keratinocyte-derived IL-1 391
Braathen LR → Limat A
Braathen LR → Yawalkar N
Brakenhoff J → Nordlind K
Brand CU → Yawalkar N
Brockow K, Abeck D, Hermann K, Ring J: Tryptase concentration in skin blister fluid from patients with bullous skin conditions 771
Bröcker E-B → Bastian BC
Bröcker E-B → Schmidt E
Bromm B → Darsow U
Brown BE → Denda M
Büttner G → Schallreuter KU
Burg G → Dommann SNW
Burg G → Rajan GP
Burny A → Noel J-C

Calhoun C → Denda M
Califano L → Mondello MR
Cannavò SP → Mondello MR
Carey T → Laurikainen L
Carlomusto M → Rawlings AV
Caux F → Bédane C
Célérier P, Litoux P, Dréno B: In vitro modulation of epidermal inflammatory cytokines (IL-1α, IL-6, TNFα) by minocycline 411
Chandar P → Rawlings AV
Chang S-F → Yen H-T
Chang-Yi C → Seguchi T
Chanoki M → Fushida-Takemura H
Charvéron M → Lachgar S
Chiang L-C → Yen H-T
Chin LB → Nordlind K
Cho YH → Lee S
Claudy A → Viac J
Coutant KD, Ryder NS: Bradykinin up-regulates immediate-early gene mRNA in human keratinocytes 2
Cumberbatch M, Dearman RJ, Kimber I: Adhesion molecule expression by epidermal Langerhans cells and lymph node dendritic cells: a comparison 739
Curatola G → Simonetti O
Czarnetzki B → Algermissen B

Darsow U, Ring J, Scharein E, Bromm B: Correlations between histamine-induced wheal, flare and itch 436
Das PK → Puri N
Davaris P → Aroni K
Davies A → Rawlings AV
Dearman RJ → Cumberbatch M
Deleuran B → Iversen L
Demarchez M → Bernerd F
Denda M, Wood LC, Emami S, Calhoun C, Brown BE, Elias PM, Feingold KR: The epidermal hyperplasia associated with repeated barrier disruption by acetone treatment or tape stripping cannot be attributed to increased water loss 230
De Thier F → Noel J-C
De Vos R → Oord JJ van den
De Wolf-Peeters C → Oord JJ van den
Dieckmann D → Nitschke M
Djemadji-Oudjiel N, Goerdt S, Kodelja V, Schmuth M, Orfanos CE: Immunohistochemical identification of type II alternatively activated dendritic macrophages (RM $3/1^{+++}$, MS-1^{*}, 25F9^{-}) in psoriatic dermis 757
Dmochowski M → Hashimoto T
Dobozy A → Kemény L

Dobrev H, Popova L, Vlashev D: Proteinase inhibitors and pemphigus vulgaris. An in vitro and in vivo study 648
Dommann SNW, Dommann-Scherrer CC, Dours-Zimmermann M-T, Zimmermann DR, Kural-Serbes B, Burg G: Clonal disease in extracutaneous compartments in cutaneous T-cell lymphomas. A comparative study between cutaneous T-cell lymphomas and pseudo lymphomas 163
Dommann-Scherrer CC → Dommann SNW
Donatien P → Boisseau-Garsaud A-M
Dours-Zimmermann M-T → Dommann SNW
Doutremepuich JD → Viac J
Dréno B → Célérier P
Dubertret L → Bédane C
Dummer R → Rajan GP
Dummer R → Schmidt E

Eady RAJ → McMillan JR
Eady RAJ → Swensson O
Ebihara T → Hashimoto T
Egawa K → Honda Y
Ehrke C → Schallreuter KU
Eicheler W → Hoffmann R
Eickhoff U → Schaefer BM
Elias PM → Denda M
Elsner P → Bangha E
Emami S → Denda M
Enk A → Jonuleit H
Erp PEJ van → Glade CP

Fayt I → Noel J-C
Feinberg C → Rawlings AV
Feingold KR → Denda M
Ferretti G → Simonetti O
Fleischmann P → Rump A
Frank R → Birkenmeier G
Fritsch C, Verwohlt B, Bolsen K, Ruzicka T, Goerz G: Influence of topical photodynamic therapy with 5-aminolevulinic acid on porphyrin metabolism 517
Fry L → Olaniran AK
Fujie T, Shikiji T, Uchida N, Urano Y, Nagae H, Arase S: Culture of cells derived from the human sebaceous gland under serum-free conditions without a biological feeder layer or specific matrices 703
Fujimoto M → Sato S
Fukuda M → Fushida-Takemura H
Funk R → Ockenfels HM
Furumoto H → Hamamoto Y
Furuta Y → Sato-Matsumura KC
Fushida-Takemura H, Fukuda M, Maekawa N, Chanoki M, Kobayashi H, Yashiro N, Ishii M, Hamada T, Otani S, Ooshima A: Detection of lysyl oxidase gene expression in rat skin during wound healing 7

Gall Y → Lachgar S
Garioch JJ → Olaniran AK
Garrod DR → Hashimoto T
Gervasi P → Simonetti O
Gibbs BF → Nitschke M
Gibbs S, Backendorf C, Ponec M: Regulation of keratinocyte proliferation and differentiation by all-*trans*-retinoic acid, 9-*cis*-retinoic acid and 1,25-dihydroxy vitamin D_3 729
Glade CP, Seegers BAMPA, Meulen EFJ, Hooijdonk CAEM van, Erp PEJ van, Kerkhof PCM van de: Multiparameter flow cytometric characterization of epidermal cell suspensions prepared from normal and hyperproliferative human skin using an optimized thermolysin-trypsin protocol 203
Goerdt S → Djemadji-Oudjiel N
Goerz G → Fritsch C
Goffin V, Piérard GE: Corneosurfametry and the compromised atopic stratum corneum 489
Goos M → Ockenfels HM
Graf A → Simon M
Grützkau A → Weber S
Gruseck E → Neuber K
Guarneri B → Mondello MR
Guéniche A → Viac J

Hachisuka H → Mori O
Hædersdal M → Malmusi M
Hamada T → Fushida-Takemura H
Hamamoto Y, Nagai K, Muto M, Furumoto H, Mogami S, Asagami C: Establishment and characterization of a novel human promonocytic cell line from peripheral blood of a patient with psoriasis 225
Hanada K → Sawamura D
Haot J → Noel J-C
Happle R → Hoffmann R
Harding C → Rogers J
Hashimoto I → Sawamura D
Hashimoto T, Ebihara T, Dmochowski M, Kawamura K, Suzuki T, Tsurufuji S, Garrod DR, Nishikawa T: IgA anti-keratinocyte surface autoantibodies from two types of intercellular IgA vesiculopustular dermatosis recognize distinct isoforms of desmocollin 447
Hashimoto T → Matsumura K
Hashimoto Y → Toyota N
Hattori S → Kobayashi T
Havu VK → Lu S
Hayakawa A → Matsumoto Y
Henseleit U, Rosenbach T, Kolde G: Induction of apoptosis in human HaCaT keratinocytes 676
Henz BM → Paus R
Henz BM → Weber S
Hermann K → Brockow K
Hermans P → Noel J-C
Higashiyama K → Tsushima H
Hirachi Y → Hisa T
Hisa T, Taniguchi S, Tsuruta D, Hirachi Y, Ishizuka S, Takigawa M: Vitamin D inhibits endothelial cell migration 262
Hoberg AM → Iversen L
Hoffmann R, Eicheler W, Huth A, Wenzel E, Happle R: Cytokines and growth factors influence hair growth in vitro. Possible implications for the pathogenesis and treatment of alopecia areata 153
Honda Y, Egawa K, Baba Y, Ono T: Sweat duct milia – immunohistological analysis of structure and three-dimensional reconstruction 133
't Hooft-Benne K → Prens E
Hooijdonk CAEM van → Glade CP
Hori H → Kobayashi T
Hui XY → Yosipovitch G
Hunziker T → Limat A
Huth A → Hoffmann R

Ihn H → Sato S
Iizuka H → Tamura T
Iizuka H → Toyota N
Ikai K → Okano-Mitani H
Ikäheimo I, Silvennoinen-Kassinen S, Karvonen J, Järvinen T, Tiilikainen A: Immunogenetic profile of psoriasis vulgaris: association with haplotypes A2,B13,Cw6,DR7,DQA1*0201 and A1,B17,Cw6,DR7,DQA1*0201 63
Ikäheimo I, Tiilikainen A, Karvonen J, Silvennoinen-Kassinen S: HLA risk haplotype Cw6,DR7,DQA1*0201 and HLA-Cw6 with reference to the clinical picture of psoriasis vulgaris 363
Imamura S → Okano-Mitani H
Inndorf S, Bechtel MJ, Reinartz J, Kramer MD: Cell density-dependent downregulation of urokinase-type plasminogen activator in normal but not in transformed human epidermal keratinocytes 783
Intrator L → Bédane C
Isemura M → Kazama T
Ishibashi T → Shimizu T
Ishii M → Fushida-Takemura H
Ishikawa H → Sawamura D
Ishizuka S → Hisa T
Ito M → Kawaguchi Y
Ito M → Kazama T
Ito M → Watanabe R
Iversen L, Deleuran B, Hoberg AM, Kragballe K: LTA_4 hydrolase in human skin: decreased activity, but normal concentration in lesional psoriatic skin. Evidence for different LTA_4 hydrolase activity in human lymphocytes and human skin 217
Iwamoto Y → Tokura Y
Izumi T → Tajima S

Järvinen T → Ikäheimo I
Jansén CT → Laihia JK
Johansson M → Sjölin-Forsberg G
Johansson O → Liu PY
Joller-Jemelka HI → Rajan GP
Joly P → Bédane C
Jong EMGJ de → Vleuten CJM van der
Jongh GJ de → Kuijpers ALA
Jonuleit H, Lohmann S, Müller G, Lempertz U, Enk A, Knop J: Specific stabilization of the 4F7 molecule on dendritic cells by contact allergens 745
Joost T van → Prens E
Jung EG → Rump A

Kämpgen E → Bastian BC
Kameda K → Watanabe R
Kammeyer A, Meinardi MMHM, Bos JD, Teunissen MBM: *cis*-Urocanic acid is not useful as an immunosuppressive agent in the treatment of human allergic contact dermatitis 725
Kanzaki H → Akiyama H

Karvonen J → Ikäheimo I
Kato S, Urano Y, Sasaki S, Ahsan K, Shono M, Arase S: Prolonged nuclear accumulation of p53 in xeroderma pigmentosum complementation group A cells after ultraviolet irradiation 249
Kaudewitz P → Simon M
Kawaguchi Y, Tanaka H, Okada T, Konishi H, Takahashi M, Ito M, Asai J: The effects of ultraviolet A and reactive oxygen species on the mRNA expression of 72-kDa type IV collagenase and its tissue inhibitor in cultured human dermal fibroblasts 39
Kawamura K → Hashimoto T
Kazama T, Isemura M, Nakamura T, Ito M: Immunohistological distribution of heparan sulfate proteoglycan and chondroitin 6-sulfate in carcinomas with eccrine differentiation 718
Keim-Maas C → Ockenfels HM
Kemény L, Trach V, Dobozy A: Effect of locally applied WEB 2086, a platelet-activating factor antagonist, on inflammatory skin conditions in mice 492
Kerkhof PCM van de → Bergen BH van
Kerkhof PCM van de → Glade CP
Kerkhof PCM van de → Kuijpers ALA
Kerkhof PCM van de → Le M
Kerkhof PCM van de → Vleuten CJM van der
Kikuchi K → Sato S
Kimber I → Cumberbatch M
Kimber I → Lappin MB
Kind P → Simon M
Kistler GS → Bangha E
Kitamura Y → Toyota N
Kiyokawa C → Mori O
Kiyoki M → Ohta T
Kiyoki M → Sato H
Kligman LH, Murphy GF: Topical tretinoin increases dermal mast cells, induces epidermal mast cell growth factor (c-kit ligand) and modulates its distribution in hairless mice 537
Kligman LH, Sapadin AN, Schwartz E: Peeling agents and irritants, unlike tretinoin, do not stimulate collagen synthesis in the photoaged hairless mouse 615
Klosner G → Neuner P
Knobler R → Neuner P
Knop J → Jonuleit H
Kobayashi H → Fushida-Takemura H
Kobayashi T, Onoda N, Takagi T, Hori H, Hattori S, Nagai Y, Tajima S, Nishikawa T: Immunolocalizations of human gelatinase (type IV collagenase, MMP-9) and TIMP (tissue inhibitor of metalloproteinases) in normal epidermis and some epidermal tumors 239
Kodelja V → Djemadji-Oudjiel N
Körner C → Schallreuter KU
Kohda H → Narisawa Y
Koizumi H, Ohkawara A: Regulation of transmembrane signalling system during senescence of human epidermal keratinocytes 611
Koizumi H → Sato-Matsumura KC
Koizumi H → Shimizu T
Kolde G: Turnover and kinetics of epidermal Langerhans cells and their dendritic precursor cells in experimental contact dermatitis. A correlated ultrastructural-morphometric and immunohistochemical evaluation 197
Kolde G → Henseleit U
Konishi H → Kawaguchi Y
Kontochristopoulos G → Aroni K
Korstanje MJ: Reply 727
Kosturko R → Rawlings AV
Kragballe K → Iversen L
Kramer MD → Inndorf S
Kramer MD → Rox JM
Kramer MD → Schaefer BM
Kröger S → Neuber K
Kroot EJA → Vleuten CJM van der
Krüger-Krasagakes S → Weber S
Kuijpers ALA, Zeeuwen PLJM, Jongh GJ de, Kerkhof PCM van de, Alkemade HAC, Schalkwijk J: Skin-derived antileukoproteinase (SKALP) is decreased in pustular forms of psoriasis. A clue to the pathogenesis of pustule formation? 641
Kural-Serbes B → Dommann SNW
Kusuda S → Seguchi T

Labidi F → Benathan M
Lachgar S, Charvéron M, Bouhaddioui N, Neveux Y, Gall Y, Bonafé JL: Inhibitory effects of bFGF, VEGF and minoxidil on collagen synthesis by cultured hair dermal papilla cells 469
Laihia JK, Uksila J, Luhtala M, Jansén CT: Expression of CD80 (B7/BB-1) and CD28 in human white blood cells treated with urocanic acid 570
Lappin MB, Kimber I, Norval M: The role of dendritic cells in cutaneous immunity 109
Larkö O → Wennberg A-M
Laugier J-PK → Ale SI
Lauret P → Bédane C
Laurikainen L, Carey T, Peltonen J: The expression of α6 and β4 integrin genes are differentially regulated by *all-trans*-retinoic acid (RA) in cultured human keratinocytes 270
Le M, Schalkwijk J, Siegenthaler G, Kerkhof PCM van de, Veerkamp JH, Valk PGM van der: Changes in keratinocyte differentiation following mild irritation by sodium dodecyl sulphate 684
Leboutet MJ → Bédane C
Lee E-S → Lee S
Lee S, Bang D, Cho YH, Lee E-S, Sohn S: Polymerase chain reaction reveals herpes simplex virus DNA in saliva of patients with Behçet's disease 179
LeMotte P → Algermissen B
Lempertz U → Jonuleit H
Lidén S → Nordlind K
Limat A, Suormala T, Hunziker T, Waelti ER, Braathen LR, Baumgartner R: Proliferation and differentiation of cultured human follicular keratinocytes are not influenced by biotin 31
Lindholm L-E → Wennberg A-M
Liossi A → Aroni K
Litoux P → Célérier P
Liu PY, Bondesson L, Löntz W, Johansson O: The occurrence of cutaneous nerve endings and neuropeptides in vitiligo vulgaris: a case-control study 670
Lodén M: Urea-containing moisturizers influence barrier properties of normal skin 103
Löntz W → Liu PY
Löwik CWGM → Boxman ILA
Lohmann S → Jonuleit H
Lu S, Syrjänen K, Havu VK, Syrjänen S: Known HPV types have no association with keratoacanthomas 129
Luhtala M → Laihia JK

Ma ASP, Ozers LJ: Annexins I and II show differences in subcellular localization and differentiation-related changes in human epidermal keratinocytes 596
Maekawa N → Fushida-Takemura H
Magaudda L → Mondello MR
Maibach H → Yosipovitch G
Maibach HI → Ale SI
Maier K → Schaefer BM
Mak JCW → Steinkraus V
Malmusi M, Hædersdal M, Poulsen T, Wulf HC: Skinfold thickness can predict elastosis in hairless mice 722
Margerin C → Boisseau-Garsaud A-M
Matsumoto Y, Hayakawa A, Tamada Y, Mori H, Ohashi M: Upregulated expression of Fas antigen on cultured human keratinocytes with induction of apoptosis by cisplatin 267
Matsumura K, Amagai M, Nishikawa T, Hashimoto T: The majority of bullous pemphigoid and herpes gestationis serum samples react with the NC16a domain of the 180-kDa bullous pemphigoid antigen 507
Matsumura T → Sato-Matsumura KC
Matsunaga T → Sato H
Matsuo S → Toyota N
Maurer M → Paus R
Mauviel A → Sawamura D
Mayo A → Rogers J
McMillan JR, Eady RAJ: Hemidesmosome ontogeny in digit skin of the human fetus 91
Meinardi MMHM → Kammeyer A
Meng X → Sawamura D
Mensing H → Steinkraus V
Meulen EFJ → Glade CP
Mimura H → Ohta T
Mine H → Tsushima H
Mizutani K → Tokura Y
Mogami S → Hamamoto Y
Moll I, Zieger W, Schmelz M: Proliferative Merkel cells were not detected in human skin 184
Moll I: Differential epithelial outgrowth of plucked and microdissected human hair follicles in explant culture 604
Mondello MR, Magaudda L, Pergolizzi S, Santoro A, Vaccaro M, Califano L, Cannavò SP, Guarneri B: Behaviour of laminin 1 and type IV collagen in uninvolved psoriatic skin. Immunohistochemical study using confocal laser scanning microscopy 527
Moore GPM → Bond JJ
Moore PF → Olivry T
Mori H → Matsumoto Y

Mori O, Hachisuka H, Morita M, Kiyokawa C, Sasai Y: Apoptosis identified with DNA fragmentation in basal cell carcinomas 258
Morita M → Mori O
Müller G → Jonuleit H
Müller H-J → Pethö-Schramm A
Murphy GF → Kligman LH
Muto M → Hamamoto Y

Nagae H → Fujie T
Nagai K → Hamamoto Y
Nagai Y → Kobayashi T
Nagashima K → Sato-Matsumura KC
Nagatsu I → Sakai M
Nakamura T → Kazama T
Narisawa Y, Kohda H: Two- and three-dimensional demonstrations of morphological alterations of early anagen hair follicle with special reference to the bulge area 98
Naydan DK → Olivry T
Neuber K, Kröger S, Gruseck E, Abeck D, Ring J: Effects of *Pityrosporum ovale* on proliferation, immunoglobulin (IgA, G, M) synthesis and cytokine (IL-2, IL-10, IFNγ) production of peripheral blood mononuclear cells from patients with seborrhoeic dermatitis 532
Neuner P, Pourmojib M, Klosner G, Trautinger F, Knobler R: Increased release of the tumour necrosis factor receptor p75 by immortalized human keratinocytes results from an activated shedding mechanism and is not related to augmented steady-state levels of p75 mRNA 691
Neveux Y → Lachgar S
Nguyen L → Rawlings AV
Nishikawa T → Hashimoto T
Nishikawa T → Kobayashi T
Nishikawa T → Matsumura K
Nitschke M, Sohn K, Dieckmann D, Gibbs BF, Wolff HH, Amon U: Effects of basophil-priming and stimulating cytokines on histamine release from isolated human skin mast cells 463
Noel J-C, Andre J, Hermans P, Fayt I, Peny M-O, De Thier F, Haot J, Burny A: Kaposi's sarcoma: evaluation of the role of human papillomaviruses. A study using the high sensitivity hot-start polymerase chain reaction detection method and a review of the literature 786
Nomura K → Sawamura D
Nordlind K, Chin LB, Ahmed AA, Brakenhoff J, Theodorsson E, Lidén S: Immunohistochemical localization of interleukin-6-like immunoreactivity to peripheral nerve-like structures in normal and inflamed human skin 431
Norval M → Lappin MB
Nussbaum G → Ockenfels HM

Ockenfels HM, Wagner SN, Keim-Maas C, Funk R, Nussbaum G, Goos M: Lithium and psoriasis: cytokine modulation of cultured lymphocytes and psoriatic keratinocytes by lithium 173
Offidani AM → Simonetti O
Ohashi M → Matsumoto Y
Ohkawara A → Koizumi H
Ohkawara A → Sato-Matsumura KC
Ohkawara A → Shimizu T
Ohta T, Okabe K, Azuma Y, Kiyoki M: In vivo microautoradiography of [^{3}H]1,24(OH)$_2$D$_3$ (tacalcitol) following topical application to normal rats and in vitro metabolism in human keratinocytes 188
Ohta T, Mimura H, Kiyoki M: Effect of 1,24-dihydroxyvitamin D$_3$ on proliferation stimulated by epidermal growth factor in cultured mouse epidermal keratinocytes 415
Ohta T → Sato H
Ohta T → Sawamura D
Okabe K → Ohta T
Okada T → Kawaguchi Y
Okano-Mitani H, Ikai K, Imamura S: Leukotriene A$_4$ hydrolase in peripheral leukocytes of patients with atopic dermatitis 168
Olaniran AK, Baker BS, Paige DG, Garioch JJ, Powles AV, Fry L: Cytokine expression in psoriatic skin lesions during PUVA therapy 421
Olivry T, Moore PF, Affolter VK, Naydan DK: Langerhans cell hyperplasia and IgE expression in canine atopic dermatitis 579
Olsson MJ → Sjölin-Forsberg G
Ono T → Honda Y
Onoda N → Kobayashi T
Oord JJ van den, De Vos R, De Wolf-Peeters C: Small, freshly arrived histiocytes in cutaneous and mucosal herpetic lesions 500
Ooshima A → Fushida-Takemura H
Orfanos CE → Djemadji-Oudjiel N
Orfanos CE → Zouboulis CC
Otani S → Fushida-Takemura H
Ozers LJ → Ma ASP

Paige DG → Olaniran AK
Panteleos D → Aroni K
Paus R, Böttge J-A, Henz BM, Maurer M: Hair growth control by immunosuppression 408
Paus R → Pethö-Schramm A
Peltonen J → Laurikainen L
Peny M-O → Noel J-C
Pergolizzi S → Mondello MR
Pethö-Schramm A, Müller H-J, Paus R: FGF5 and the murine hair cycle 264
Pichlmeier U → Steinkraus V
Piérard GE → Goffin V
Pillai S → Rawlings AV
Pittelkow MR → Schallreuter KU
Pittelkow MR → Schallreuter-Wood KU
Ponec M → Boxman ILA
Ponec M → Gibbs S
Popova L → Dobrev H
Poulsen T → Malmusi M
Pourmojib M → Neuner P
Powles AV → Olaniran AK
Prens E, 't Hooft-Benne K, Tank B, Van Damme J, Joost T van, Benner R: Adhesion molecules and IL-1 costimulate T lymphocytes in the autologous MECLR in psoriasis 68
Prost C → Bédane C
Prümmer O → Rajan GP
Puri N, Weel MB van der, Wit FS de, Asghar SS, Das PK, Ramaiah A, Westerhof W: Basic fibroblast growth factor promotes melanin synthesis by melanocytes 633

Raffeld M → Simon M
Rajan GP, Seifert B, Prümmer O, Joller-Jemelka HI, Burg G, Dummer R: Incidence and in-vivo relevance of anti-interferon antibodies during treatment of low-grade cutaneous T-cell lymphomas with interferon alpha-2a combined with acitretin or PUVA 543
Ramaiah A → Puri N
Rawlings A → Rogers J
Rawlings AV, Davies A, Carlomusto M, Pillai S, Zhang K, Kosturko R, Verdejo P, Feinberg C, Nguyen L, Chandar P: Effect of lactic acid isomers on keratinocyte ceramide synthesis, stratum corneum lipid levels and stratum corneum barrier function 383
Reichert U → Viac J
Reinartz J → Inndorf S
Reinartz J → Rox JM
Ring J → Brockow K
Ring J → Darsow U
Ring J → Neuber K
Ring J → Steinkraus V
Rogers J, Harding C, Mayo A, Banks J, Rawlings A: Stratum corneum lipids: the effect of ageing and the seasons 765
Rollman O → Sjölin-Forsberg G
Rosenbach T → Henseleit U
Rox JM, Reinartz J, Kramer MD: Interleukin-1β upregulates tissue-type plasminogen activator in a keratinocyte cell line (HaCaT) 554
Rump A, Fleischmann P, Jung EG, Werner D, Thielmann HW: Basal cell nevus syndrome and dysplastic nevus syndrome: investigation of gene expression by differential hybridization 399
Ruwhof C → Boxman ILA
Ruzicka T → Fritsch C
Ryder NS → Coutant KD

Sakai H → Toyota N
Sakai M, Shimizu Y, Nagatsu I, Ueda H: Immunohistochemical localization of NO synthases in normal human skin and psoriatic skin 625
Sander CA → Simon M
Santoro A → Mondello MR
Sapadin AN → Kligman LH
Sasai Y → Mori O
Sasaki S → Kato S
Sato H, Sugimoto I, Matsunaga T, Tsuchimoto M, Ohta T, Uno H, Kiyoki M: Tacalcitol (1,24(OH)$_2$D$_3$, TV-02) inhibits phorbol ester-induced epidermal proliferation and cutaneous inflammation, and induces epidermal differentiation in mice 656
Sato S, Fujimoto M, Kikuchi K, Ihn H, Tamaki K, Takehara K: Elevated soluble CD23 levels in the sera from patients with localized scleroderma 74

Sato S, Fujimoto M, Kikuchi K, Ihn H, Tamaki K, Takehara K: Soluble CD4 and CD8 in serum from patients with localized scleroderma 358
Sato-Matsumura KC, Koizumi H, Matsumura T, Ohkawara A, Takasu T, Furuta Y, Sawa H, Nagashima K: Localization of annexin I (lipocortin I, p35) mRNA in normal and diseased human skin by in situ hybridization 565
Sawa H → Sato-Matsumura KC
Sawamura D, Ohta T, Hanada K, Ishikawa H, Tamai K, Yazima H, Meng X, Nomura K, Hashimoto I, Mauviel A, Uitto J: Involvement of the AP-1 site within the 5′-flanking region of the stromelysin-1 gene in induction of the gene expression by UVA irradiation 628
Schacht RJ → Bastian BC
Schaefer BM, Maier K, Eickhoff U, Bechtel M, Kramer MD: α_2-Antiplasmin and plasminogen activator inhibitors in healing human skin wounds 122
Schalkwijk J → Bergen BH van
Schalkwijk J → Kuijpers ALA
Schalkwijk J → Le M
Schallreuter KU, Wood JM, Pittelkow MR, Büttner G, Swanson N, Körner C, Ehrke C: Increased monoamine oxidase A activity in the epidermis of patients with vitiligo 14
Schallreuter-Wood KU, Pittelkow MR, Swanson NN: Defective calcium transport in vitiliginous melanocytes 11
Scharein E → Darsow U
Schirren CG → Simon M
Schmelz M → Moll I
Schmidt E, Bastian B, Dummer R, Tony H-P, Bröcker E-B, Zillikens D: Detection of elevated levels of IL-4, IL-6, and IL-10 in blister fluid of bullous pemphigoid 353
Schmitt D → Serres M
Schmitt D → Viac J
Schmuth M → Djemadji-Oudjiel N
Schwartz E → Kligman LH
Schweizer J → Bernerd F
Seegers BAMPA → Glade CP
Seguchi T, Chang-Yi C, Kusuda S, Takahashi M, Aisu K, Tezuka T: Decreased expression of filaggrin in atopic skin 442
Seifert B → Rajan GP
Serres M, Viac J, Schmitt D: Glucocorticoid receptor localization in human epidermal cells 140
Shikiji T → Fujie T
Shimizu T, Takakuwa Y, Koizumi H, Ishibashi T, Ohkawara A: Immunoreactive analogues of erythrocyte ankyrin in human epidermal keratinocytes 19
Shimizu Y → Sakai M
Shono M → Kato S
Siegenthaler G → Le M
Silvennoinen-Kassinen S → Ikäheimo I
Simon M, Kind P, Kaudewitz P, Graf A, Schirren CG, Raffeld M, Sander CA: Detection of herpesvirus-like DNA in HIV-associated and classical Kaposi's sarcoma 402
Simonetti O, Ferretti G, Offidani AM, Gervasi P, Curatola G, Bossi G: Plasma membrane fluidity of keratinocytes of normal and psoriatic skin: a study using fluorescence anisotropy of trimethylammoniumdiphenylhexatriene (TMA-DPH) 51
Sitzmann J → Algermissen B
Sjölin-Forsberg G, Berne B, Johansson M, Olsson MJ, Rollman O: Differential uptake of chloroquine by human keratinocytes and melanocytes in culture 211
Skov L, Baadsgaard O: MHC class II$^+$ keratinocytes from IFNγ-treated human skin activate T cells in the presence of staphylococcal superantigen despite UVB irradiation 255
Sohn K → Nitschke M
Sohn S → Lee S
Spandau DF → Biddle D
Spruijt KIJ → Bergen BH van
Steinkraus V, Mak JCW, Pichlmeier U, Mensing H, Ring J, Barnes PJ: Autoradiographic mapping of beta-adrenoceptors in human skin 549
Sugimoto I → Sato H
Suormala T → Limat A
Suzuki T → Hashimoto T
Swanson N → Schallreuter KU
Swanson NN → Schallreuter-Wood KU
Swensson O, Eady RAJ: Morphology of the keratin filament network in palm and sole skin: evidence for site-dependent features based on stereological analysis 55
Syrjänen K → Lu S
Syrjänen S → Lu S
Szolar C → Yosipovitch G

Tada J → Akiyama H
Tagami H → Tanaka M
Taïeb A → Boisseau-Garsaud A-M
Tajima S, Izumi T: Differential in vitro responses of elastin expression to basic fibroblast growth factor and transforming growth factor β1 in upper, middle and lower dermal fibroblasts 753
Tajima S → Kobayashi T
Tajima S → Yamada H
Takagi T → Kobayashi T
Takahashi H → Tamura T
Takahashi H → Toyota N
Takahashi K → Tanaka M
Takahashi M → Kawaguchi Y
Takahashi M → Seguchi T
Takakuwa Y → Shimizu T
Takasu T → Sato-Matsumura KC
Takehara K → Sato S
Takenouchi T → Watanabe R
Takigawa M → Hisa T
Takigawa M → Tokura Y
Tamada Y → Matsumoto Y
Tamai K → Sawamura D
Tamaki K → Sato S
Tamura T, Takahashi H, Iizuka H: Protein kinase C-dependent modulation of stimulatory guanine nucleotide binding protein of fetal rat skin keratinocytes 24
Tanaka H → Kawaguchi Y
Tanaka M, Aiba S, Takahashi K, Tagami H: Reduced proliferative responses of peripheral blood mononuclear cells specifically to *Candida albicans* antigen in patients with atopic dermatitis – comparison with their normal reactivity to bacterial superantigens 495
Taniguchi S → Hisa T
Tank B → Prens E
Tavakkol A → Zouboulis CC
Teunissen MBM → Kammeyer A
Tezuka T → Seguchi T
Theodorsson E → Nordlind K
Thielmann HW → Rump A
Thomine E → Bédane C
Tiilikainen A → Ikäheimo I
Toi Y → Akiyama H
Tokura Y, Iwamoto Y, Mizutani K, Takigawa M: Sparfloxacin phototoxicity: potential photoaugmentation by ultraviolet A and B sources 45
Tony H-P → Schmidt E
Toyota N, Hashimoto Y, Matsuo S, Kitamura Y, Iizuka H: Effects of FK506 and Cyclosporin A on proliferation, histamine release and phenotype of murine mast cells 474
Toyota N, Sakai H, Takahashi H, Hashimoto Y, Iizuka H: Inhibitory effect of 1α,25-dihydroxyvitamin D_3 on mast cell proliferation and A23187-induced histamine release, also accompanied by a decreased c-kit receptor 709
Trach V → Kemény L
Trautinger F → Neuner P
Tron F → Bédane C
Tsai C-C → Yen H-T
Tsuchimoto M → Sato H
Tsurufuji S → Hashimoto T
Tsuruta D → Hisa T
Tsushima H, Higashiyama K, Mine H: Isolation and amino acid sequence of a cystatin-type cysteine proteinase inhibitor from bovine hoof 484

Uchida N → Fujie T
Ueda H → Sakai M
Uitto J → Sawamura D
Uksila J → Laihia JK
Uno H → Sato H
Urano Y → Fujie T
Urano Y → Kato S

Vaccaro M → Mondello MR
Valk PGM van der → Le M
Van Damme J → Prens E
Veerkamp JH → Le M
Verdejo P → Rawlings AV
Verwohlt B → Fritsch C
Viac J, Guéniche A, Doutremepuich JD, Reichert U, Claudy A, Schmitt D: Substance P and keratinocyte activation markers: an in vitro approach 85
Viac J → Serres M
Vlashev D → Dobrev H
Vleuten CJM van der, Jong EMGJ de, Kerkhof PCM van de: Epidermal differentiation characteristics of the psoriatic plaque during treatment with calcipotriol 366

Vleuten CJM van der, Kroot EJA, Jong EMGJ de, Kerkhof PCM van de: The immunohistochemical effects of a single challenge with an intermediate dose of ultraviolet B on normal human skin 510
Voorhees JJ → Zouboulis CC

Waelti ER → Limat A
Wagner SN → Ockenfels HM
Watanabe R, Yamamoto A, Yamaguchi H, Takenouchi T, Kameda K, Ito M: Expression of cutaneous fatty acid-binding protein and its mRNA in rat skin 481
Weber S, Babina M, Krüger-Krasagakes S, Grützkau A, Henz BM: A subclone (5C6) of the human mast cell line HMC-1 represents a more differentiated phenotype than the original cell line 778
Weel MB van der → Puri N
Wen K-H → Yen H-T
Wennberg A-M, Lindholm L-E, Alpsten M, Larkö O: Treatment of superficial basal cell carcinomas using topically applied delta-aminolaevulinic acid and a filtered xenon lamp 561
Wenzel E → Hoffmann R
Werner D → Rump A
Westerhof W → Puri N
Wit FS de → Puri N
Wolff HH → Nitschke M
Wood JM → Schallreuter KU
Wood LC → Denda M
Wulf HC → Malmusi M
Wynn PC → Bond JJ

Yamada H, Tajima S: Inhibition of collagen expression by azelastine hydrochloride in cultured skin fibroblasts from normal individuals and scleroderma patients 575
Yamaguchi H → Watanabe R
Yamamoto A → Watanabe R
Yashiro N → Fushida-Takemura H
Yawalkar N, Brand CU, Braathen LR: IL-12 Gene expression in human skin-derived CD1a$^+$ dendritic lymph cells 79
Yawalkar N, Brand CU, Braathen LR: GM-CSF mRNA and protein in human skin-derived lymph 637
Yazima H → Sawamura D
Yen H-T, Chiang L-C, Wen K-H, Tsai C-C, Yu C-L, Yu H-S: The expression of cytokines by an established basal cell carcinoma cell line (BCC-1/KMC) compared with cultured normal keratinocytes 157
Yen H-T, Chiang L-C, Wen K-H, Chang S-F, Tsai C-C, Yu C-L, Yu H-S: Arsenic induces interleukin-8 expression in cultured keratinocytes 716
Yosipovitch G, Szolar C, Hui XY, Maibach H: Effect of topically applied menthol on thermal, pain and itch sensations and biophysical properties of the skin 245
Yu C-L → Yen H-T
Yu H-S → Yen H-T

Zeeuwen PLJM → Kuijpers ALA
Zhang K → Rawlings AV
Zieger W → Moll I
Zillikens D → Schmidt E
Zimmermann DR → Dommann SNW
Zouboulis CC, Voorhees JJ, Orfanos CE, Tavakkol A: Topical all-*trans* retinoic acid (RA) induces an early, coordinated increase in RA-inducible skin-specific gene/psoriasin and cellular RA-binding protein II mRNA levels which precedes skin erythema 664

Abstracts
Arbeitsgemeinschaft Dermatologische Forschung (ADF). XXIII. Annual Meeting, *in cooperation with "Deutsche Dermatologische Gesellschaft" (DDG).* 26–28 January 1996, Münster, Germany 274

Editorial 1

Announcements 108, 162, 216, 559, 728, 789

Erratum 636

Subject index 790

Contents of Volume 288

Indexed in *Current Contents* and *Index Medicus*